



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 1 of 17

Applicant : Shenzhen Arvov Technology Co., Ltd
Address : 322 Shenrun Cloud Valley, No. 8 Xieli Road, Longgang District, Shenzhen, Guangdong, China
Manufacturer : Shenzhen Arvov Technology Co., Ltd
Address : 322 Shenrun Cloud Valley, No. 8 Xieli Road, Longgang District, Shenzhen, Guangdong, China

Report on the submitted samples said to be:

Sample Name : Tire Pressure Monitoring System
Trade Mark : ARVOV
Tested model : TN 200
Series models : TDS200, CAN300, TRP100, TRX100, GPS-01, TN300, TN500, TN600, TN700, TN800, TN910, TW303, TW310, TW350, TW380, TW500, TW580, TW590, TW600, TW700, TS01, TS02, TDS100, TDS200, TDS210, TDS220, TDS300, TDS500, TDS600, TDS700, TDS800, TDS900, CAN100, CAN101, CAN102, CAN103, CAN104, CAN200, CAN300, CAN500, CAN700, TPR100, TPR101, TPR200, TPR300, TPR500, TRP400, TRP410, TRP401, TRP402, TPX100, TPX101, TPX102, TRX102, TRX200, GPS-01, GPS-02, GPS-03, GPS-04
Date of Sample Received : December 17, 2025
Testing Period : December 17, 2025 ~ December 23, 2025
Results : Please refer to next page(s).

TEST REQUEST

According to the customer's request, based on the performed tests on submitted sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, Dibutyl Phthalate (DBP), Benzyl butyl Phthalate (BBP), Bis(2-ethylhexyl) Phthalate (DEHP), Diisobutyl phthalate (DIBP) content comply with the limit as set of RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863.

CONCLUSION

Pass

Signed for and on behalf of AZT

Jack Zhong



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com





TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 2 of 17

Test Item Description And Photo List

No.	Tested Part(s)	The photo of the sample
01	Black plastic	
02	White rubber	
03	White label with black printing	
04	Silvery metal	
05	IC	
06	Chip resistor	
07	White LED	
08	Silvery soldering tin	
09	Chip diode	
10	Chip capacitor	
11	Silvery metal crystal oscillator	
12	Green PCB	
13	Silvery metal spring	



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 3 of 17

No.	Tested Part(s)	The photo of the sample
14	Black plastic	
15	Silvery metal shell	
16	Black rubber	
17	Silvery metal pin	
18	Gray metal foil sheet	
19	Yellow paper	
20	Silvery metal foil sheet	
21	Black plastic	
22	Gray Translucent plastic	
23	Silvery metal	
24	Purple plastic	
25	White rubber	



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com






TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 4 of 17

No.	Tested Part(s)	The photo of the sample
26	Black wire jacket	
27	Black wire jacket	
28	Black wire jacket	
29	White wire jacket	
30	Copper metal coil	
31	Red wire jacket	
32	Black soft plastic	
33	Silvery metal with gold plating	
34	Gray plastic	
35	Silvery metal screw	
36	Silvery metal nut	
37	Silvery metal	



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com






TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 5 of 17

No.	Tested Part(s)	The photo of the sample
38	White label with black printing	
39	Black wire jacket	
40	White label with black printing	
41	Green wire jacket	
42	Brown wire jacket	
43	Red wire jacket	
44	Black wire jacket	
45	White wire jacket	
46	Green PCB	
47	Copper metal spring	
48	Green PCB	
49	Silvery soldering tin	



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 6 of 17

No.	Tested Part(s)	The photo of the sample
50	Silvery metal shell	
51	Black plastic capacitor skin	
52	Black rubber	
53	Silvery metal pin	
54	Yellow paper	
55	Silvery metal foil sheet	
56	Gray metal foil sheet	
57	White label with blue printing	
58	Chip diode	
59	IC	
60	Silvery metal crystal oscillator	
61	Green PCB	



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; [Http: www.azt-tech.com](http://www.azt-tech.com)



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 7 of 17

Results:

RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863

A. XRF screening Result

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

No.	Tested Part(s)	Results					
		Cd	Pb	Hg	Cr▼	Br▼	
						PBBs	PBDEs
01	Black plastic	BL	BL	BL	BL	BL	BL
02	White rubber	BL	BL	BL	BL	BL	BL
03	White label with black printing	BL	BL	BL	BL	BL	BL
04	Silvery metal	BL	BL	BL	BL	/	/
05	IC	BL	BL	BL	BL	BL	BL
06	Chip resistor	BL	BL	BL	BL	BL	BL
07	White LED	BL	BL	BL	BL	BL	BL
08	Silvery soldering tin	BL	BL	BL	BL	/	/
09	Chip diode	BL	BL	BL	BL	BL	BL
10	Chip capacitor	BL	BL	BL	BL	BL	BL
11	Silvery metal crystal oscillator	BL	BL	BL	BL	/	/
12	Green PCB	BL	BL	BL	BL	X	X
13	Silvery metal spring	BL	BL	BL	BL	/	/
14	Black plastic	BL	BL	BL	BL	BL	BL
15	Silvery metal shell	BL	BL	BL	BL	/	/
16	Black rubber	BL	BL	BL	BL	BL	BL
17	Silvery metal pin	BL	BL	BL	BL	/	/
18	Gray metal foil sheet	BL	BL	BL	BL	/	/
19	Yellow paper	BL	BL	BL	BL	BL	BL
20	Silvery metal foil sheet	BL	BL	BL	BL	/	/
21	Black plastic	BL	BL	BL	BL	BL	BL
22	Gray translucent plastic	BL	BL	BL	BL	BL	BL
23	Silvery metal	BL	BL	BL	BL	/	/
24	Purple plastic	BL	BL	BL	BL	BL	BL
25	White rubber	BL	BL	BL	BL	BL	BL
26	Black wire jacket	BL	BL	BL	BL	BL	BL



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 8 of 17

No.	Tested Part(s)	Results					
		Cd	Pb	Hg	Cr▼	Br▼	
						PBBs	PBDEs
27	Black wire jacket	BL	BL	BL	BL	BL	BL
28	Black wire jacket	BL	BL	BL	BL	BL	BL
29	White wire jacket	BL	BL	BL	BL	BL	BL
30	Copper metal coil	BL	BL	BL	BL	/	/
31	Red wire jacket	BL	BL	BL	BL	BL	BL
32	Black soft plastic	BL	BL	BL	BL	BL	BL
33	Silvery metal with gold plating	BL	BL	BL	BL	/	/
34	Gray plastic	BL	BL	BL	BL	BL	BL
35	Silvery metal screw	BL	BL	BL	BL	/	/
36	Silvery metal nut	BL	BL	BL	BL	/	/
37	Silvery metal	BL	BL	BL	BL	/	/
38	White label with black printing	BL	BL	BL	BL	BL	BL
39	Black wire jacket	BL	BL	BL	BL	BL	BL
40	White label with black printing	BL	BL	BL	BL	BL	BL
41	Green wire jacket	BL	BL	BL	BL	BL	BL
42	Brown wire jacket	BL	BL	BL	BL	BL	BL
43	Red wire jacket	BL	BL	BL	BL	BL	BL
44	Black wire jacket	BL	BL	BL	BL	BL	BL
45	White wire jacket	BL	BL	BL	BL	X	X
46	Green PCB	BL	BL	BL	BL	X	X
47	Copper metal spring	BL	BL	BL	BL	/	/
48	Green PCB	BL	BL	BL	BL	X	X
49	Silvery soldering tin	BL	X	BL	BL	/	/
50	Silvery metal shell	BL	BL	BL	BL	/	/
51	Black plastic capacitor skin	BL	BL	BL	BL	BL	BL
52	Black rubber	BL	BL	BL	BL	BL	BL
53	Silvery metal pin	BL	BL	BL	BL	/	/
54	Yellow paper	BL	BL	BL	BL	BL	BL
55	Silvery metal foil sheet	BL	BL	BL	BL	/	/
56	Gray metal foil sheet	BL	BL	BL	BL	/	/
57	White label with blue printing	BL	BL	BL	BL	BL	BL



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; [Http: www.azt-tech.com](http://www.azt-tech.com)



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 9 of 17

No.	Tested Part(s)	Results					
		Cd	Pb	Hg	Cr▼	Br▼	
						PBBs	PBDEs
58	Chip diode	BL	BL	BL	BL	BL	BL
59	IC	BL	BL	BL	BL	BL	BL
60	Silvery metal crystal oscillator	BL	BL	BL	BL	/	/
61	Green PCB	BL	BL	BL	BL	X	X

Note:

- (1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

XRF screening limits for different materials:

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 70 - 3\sigma < X < 130 + 3\sigma \leq OL$	$BL \leq 50 - 3\sigma < X < 150 + 3\sigma \leq OL$
Pb	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Hg	mg/kg	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 700 - 3\sigma < X < 1300 + 3\sigma \leq OL$	$BL \leq 500 - 3\sigma < X < 1500 + 3\sigma \leq OL$
Cr	mg/kg	$BL \leq 700 - 3\sigma < X$	$BL \leq 700 - 3\sigma < X$	$BL \leq 500 - 3\sigma < X$
Br	mg/kg	$BL \leq 300 - 3\sigma < X$	--	$BL \leq 250 - 3\sigma < X$

Note:

- BL=Below Limit
 - OL=Over Limit (Screening result was over limit, thus further confirmation test was conducted.)
 - X=Inconclusive(Screening result was inconclusive, thus further confirmation test was conducted.)
 - /=Not Applicable
 - mg/kg = milligram per kilogram = ppm
- (2) The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863.
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr (VI), and the results showed the total Cr content.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 10 of 17

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium (Cd)	100
Lead (Pb)	1000
Mercury (Hg)	1000
Hexavalent Chromium (Cr(VI))	1000
Polybrominated biphenyls (PBBs)	1000
Polybrominated diphenyl ethers (PBDEs)	1000
Dibutyl Phthalate (DBP)	1000
Benzyl butyl Phthalate (BBP)	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	1000
Diisobutyl phthalate (DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 11 of 17

B. Result of Wet Chemical Testing

Test method:

Lead & Cadmium Content:

With reference to IEC 62321-5:2013, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Mercury Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, analysis was performed by Inductively Coupled Plasma-Optical Emission Spectrometer (ICP-OES).

Hexavalent Chromium Content:

With reference to IEC 62321-7-1:2015& IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

DBP, BBP, DEHP, DIBP Content:

With reference to IEC 62321-8:2017, analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of DBP, BBP, DEHP & DIBP

Test Items	CAS No.	Unit	MDL	Results		Limit
				01+12+21	02+25	
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	50	N.D.	N.D.	1000
Benzyl butyl Phthalate (BBP)	85-68-7	mg/kg	50	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	mg/kg	50	N.D.	N.D.	1000
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	N.D.	N.D.	1000

Test Items	CAS No.	Unit	MDL	Results		Limit
				22+24+34	26+28+31	
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	50	N.D.	N.D.	1000
Benzyl butyl Phthalate (BBP)	85-68-7	mg/kg	50	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	mg/kg	50	N.D.	N.D.	1000
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	N.D.	N.D.	1000

Test Items	CAS No.	Unit	MDL	Results		Limit
				27+29+45	32+39+44	
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	50	N.D.	N.D.	1000
Benzyl butyl Phthalate (BBP)	85-68-7	mg/kg	50	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	mg/kg	50	N.D.	N.D.	1000
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	N.D.	N.D.	1000



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 12 of 17

Test Items	CAS No.	Unit	MDL	Results		Limit
				41+42+43	46+48+61	
Dibutyl Phthalate (DBP)	84-74-2	mg/kg	50	N.D.	N.D.	1000
Benzyl butyl Phthalate (BBP)	85-68-7	mg/kg	50	N.D.	N.D.	1000
Bis(2-ethylhexyl) Phthalate (DEHP)	117-81-7	mg/kg	50	N.D.	N.D.	1000
Diisobutyl phthalate (DIBP)	84-69-5	mg/kg	50	N.D.	N.D.	1000



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com



TEST REPORT

Report No.:AZT251217001C-E0

Date of issue: December 23, 2025

Page 13 of 17

2) The test results of PBBs & PBDEs

Test Items	Unit	MDL	Results					Limit
			12	45	46	48	61	
Polybrominated Biphenyls (PBBs)								
Monobromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Dibromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Tribromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Tetrabromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Pentabromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Hexabromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Heptabromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Octabromobiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Nonabromodiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Decabromodiphenyl	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	N.D.	N.D.	N.D.	1000
Polybrominated Diphenyl ethers (PBDEs)								
Monobromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Dibromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Tribromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Tetrabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Pentabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Hexabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Heptabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Octabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Nonabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Decabromodiphenyl ether	mg/kg	50	N.D.	N.D.	N.D.	N.D.	N.D.	/
Total content	mg/kg	/	N.D.	N.D.	N.D.	N.D.	N.D.	1000

Remark:

- mg/kg = milligram per kilogram = ppm
- N.D. = Not detected
- MDL= Method detected limited
- The tested part(s) <08,49> were provided by client for raw material testing on December 23, 2025.
- The samples were mixed for phthalic acid test
- Tested part(s) was/were specified by client
- Flow chart appendix is included
- Photo appendix is included




Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com


Appendix

Pb/Cd/Hg/Cr⁶⁺ Testing Flow Chart






PBBs/PBDEs Testing Flow Chart





TEST REPORT

Phthalates Testing Flow Chart





TEST REPORT

Report No.:AZT251217001C-E0


Date of issue: December 23, 2025

Page 17 of 17

The photo of the sample



Main test sample



AZT authenticate the photo on original report only

Statement:

1. This test report is invalid without the signature of the approver and the special seal of the company's report.
2. The copy of the test report is invalid if the "Special Seal for Inspection and Testing" or "Special Seal for testing" or the official seal of the testing unit is not re-stamped.
3. After the test report is altered, the test report is invalid.
4. If there is any objection to the test report, please submit written comments to the laboratory within 15 days from the date of receipt of the report.
5. This test is only responsible for samples provided by customers.
6. This report shall not be reproduced in whole or in part without the written authorization of the Company.
7. The laboratory is not responsible for sampling, all samples are provided by customers.
8. The test results in this test report are only related to the samples provided by the customer.
9. If the report is not stamped with the qualification mark, it is only used for scientific research, teaching, internal quality control and other activities, and does not have a proof role for the society.

*** End of Report ***



Shenzhen AZT Technology Co., Ltd.

No.502, Building 1, Yibaolai Industrial City, Qiaotou Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China
Tel: 0755-23501189; E-mail: azt-ep@azt-tech.com; Http: www.azt-tech.com